MINERAL SURVEY No. 3793

Land District.	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
Superior & Boston Comper Company	
KNOWN AS THE	
Avalon and Alameda lodes	
Globe Mining Di	strict,
Gila County, Arizona	
ection 14 , Township 1 N. , Range 15 1.	
Surveyed under instructions dated July 20, , 1921	
by Edwin T. Stewart	
U. S. Mineral Sur	
Claim located June 22nd , 1907.	
Survey commenced August 4, , 19 21.	
Survey completed Sugust 6, , 19 21.	
Address of claimant's Attys, Morris & Malott, Box 879, Globe, Arizona. DATES OF AMENDED LOCATIONS.	
<u> </u>	
-899	

Feet.

MINERAL SURVEY NO. 3793.

AVALON Lode.

Beginning at Cor. No. 1, identical with N.E. Cor. of the location and Cor. No. 4, Lime Bluff lode, Sur. 3619, and Cor. No. 3, Alameda lode, this survey.

A standard $3\frac{1}{2}$ in. iron pipe, 4 ft. long, with iron cap divided in quadrants, stamped 4-L.B.-3619 in the quadrant facing said Lime Bluff clair and 1-A-3793 in the quadrant facing this claim, set 30 ins. in concrete base, whence

The quarter corner between sections 11 and 14, T. 1 N., R. $15\frac{1}{2}$ E., G. & S.R.B. & M. bears N.12°-42'W. 1580.7 ft. Cor. No. 3, Quo Vadis lode, Sur. 2297, bears N.84°-37'E. 97.2 ft.

No other bearings available.

Thence S.26°-07'E.

Along line 3-2 of said Alameda lode.

- 34.60 Intersect line 2-3, Quo Vadis lode, Sur. 2297, N.63°-45'E. 1409.0 ft. from Cor. No. 2.
- 300.00 To N.E.J.C. monument of the location, from which the discovery shaft bears S.62°-21'W. 58.0 ft.

 A monument of stone, 4 ft. base, 4 ft. high.
- 305.00 To S.W.E.C. of said Alameda lode.
- 600.00 To Cor. No. 2 identical with S.E. Cor. of the location and Cor. No. 2 of said Alameda lode.

A standard 3 in. iron pipe, 4 ft. long, with iron cap divided in quadrants and stamped 2-A-3793 in the quadrant facing this claim, set 32 ins. in concrete base.

No bearings available.

Thence S.62°-21'W.

- 1239.90 Intersect line 3-4, Red Oxide lode, Sur. 2296, N.42°-09' W. 131.1 ft. from Cor. No. 3 and S.42°-09'E. 472.85 ft. from Cor. No. 4.
- 1409.50 To Cor. No. 3, identical with S.W. Cor. of the

Feet. location.

A standard 3 in. iron pipe, 4 ft. long, with iron cap divided in quadrants and stamped 3-A-3793 in the quadrant facing the claim, set 34 ins. in concrete base, whence cor

Cor. No. 3 Red Oxide lode, Sur. 2296, bears S.85°-34'E. 238.9 ft.

Cor. No. 4 of said Red Oxide lode, identical with Cor. No. 3, Limestone lode, Sur. 2297, bears N.21°-16'W. 460.65 ft.

No other bearings available.
Thence N.26°-07'W.

300.00 To S.W.E.C. monument of the location.

A monument of stone, 3 ft. base, 3 ft. high.

452.38 Intersect lines 4-1 and 2-3, respectively, of Red Oxide lode, Sur. 2296 and Limestone lode, Sur. 2297, S.54°-16'W. 39.53 ft. from Cor. No. 4 of said Red Oxide lode and Cor. No. 3 of said Limestone lode.

600.00 To Cor. No. 4, identical with N.W. Cor. of the location and Cor. No. 2, Quo Vadis lode, Sur. 2297.

On line 3-4, Limestone lode. Sur. 2297, N.41°-34'W.

146.3 ft. from Cor. No. 3.

The pinepost marking this corner having rotted so that it is no longer a good substantial monument, I removed it and set a standard 3 in. iron pipe, 4 ft. long, with iron cap divided in quadrants, stamped 2-2297-Q.V. in the quadrant facing said Quo Vadis claim and 4-A-3793 in the quadrant facing this claim, 29 ins. in concrete base.

No bearings available.

Thence N.62°-21'E.

1409.50 To Cor. No. 1, the place of beginning.

ALAMEDA Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location.

Feet. A standard 3 in. iron pipe, 4 ft. long, with iron cap divided in quadrants and stamped 1-A-3793 in the quadrant facing the claim, set 34 ins. in concrete base, whence A quartzite boulder showing 10 x 24 x 30 ins. out of the ground, chiseled cross B.R. 3793, bears 3.24°-29'E. 57.35 ft.

The quarter corner between sections 13 and 14, T. 1 N., R. 15½E., G. & S.R.B. & M., bears S.34°-07'E. 969.0 ft.

No other bearings available.

Thence 3.81°-24'W.

537.00 Bed of gulch, draining southerly.

1499.40 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No. 2, Avalon lode, this survey.

An iron pipe, with cap, previously described, to which I add 2-A-3793 in the quadrant facing this claim.

Thence N.26°-07'W.

Along line 2-1 of said Avalon lode.

295.00 To S.W.E.C. monument of the location, from which the discovery shaft bears N.81°-24'E. 13.0 ft.

A monument of stone, 3.5 ft. base, 4 ft. high.

300.00 To N.E.E.C. monument of said Avalon lode.

565.40 Intersect line 2-3, Quo Vadis lode, Sur. 2297, S. 63°-45'W. 90.90 ft. from Cor. No. 3.

600.00 To Cor. No. 3, identical with N.W. Cor. of the location.
Cor. No. 1 of said Avalon lode and Cor. No. 4, Line
Bluff lode, Sur. 3619.

An iron pipe, with cap, previously described, to which I add 3-A-3793 in the quadrant facing this claim.

Thence N.81 -24 E.

93.40 Along line 4-3 of said Lime Bluff lode.

Intersect line 3-4 Quo Vadis lode. Sur. 2297, N. 42°07'M.

Bed of gulch draining southerly.

6.55t. from Con.Na.3.

1499.40 To Cor. No. 4, identical with N.E. Cor. of the location and Cor. No. 3 of said Lime Bluff lode.

A standard 31 in. iron pipe, 4 ft. long, with iron cap divided in quadrants and stamped 3-L.B.-3619 in the quadrant facing said Lime Bluff claim, to which I add

Feet. 4-A-3793 in the quadrant facing this claim, set 27 ins. in concrete base.

No bearings available.

Thence S.26°-07'E. . .

305.00 To N.E.E.C. monument of the location.

A monument of stone, 3.5 ft. base, 4 ft. high.

600.00 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-15'E.

00 00000000000000000

LODE LINES.

As near as can be determined from present developments, the veins of the two locations in this survey extends as follows from their respective discovery points:

Avalon lode, N.62°-21'E. 58.0 ft. and S.62°-21'W. 1351.5 ft.

Alameda lode, N.81°-24'E. 1486.4 ft. and S.81°-24'W. 13.0 ft.

00000000000000000

AREAS.	Acres.	Acres. 19.408
Total area Avalon lode, Area in conflict with: Red Oxide lode, Sur. 2296 Limestone lode, Sur. 2297	1.094	19.400
Quo Vadis lode, Sur. 2297 Total area Alameda lode, Area in conflict with:	0.560	19.695

Quo Vadis lode, Sur. 2297 0.042

LOCATION.

This survey is located in section 14, T. 1 N., R. 152 E., G. & S.R.B. & M., Globe Mining District, Gila County, Arizona.

0000000000000000

ADJOINING AND CONFLICTING CLAIMS.

The Lime Bluff lode, Sur. 3619 and Quo Vadis lode, Sur. 2297, on the north; the Limestone lode, Sur. 2297 and Red Oxide lode, Sur. 2296, on the west; the Diorite and Venus lode, unsurveyed, on the south; all owned by the claimant of the claims in this survey. And an unknown claim, unsurveyed, owner unknown, on the east.

6

EXPENDITURE OF FIVE HUNDRED DOLLARS.

These claims are being developed from levels run from a shaft, improvement No. 2 on the Copper Money lode, Sur. 2651, owned by the claimant of the claims in this survey, this being the same improvement described in detail in my returns of Mineral Survey No. 3619 and distributed to 35 claims, patented and unpatented.

Since the execution of Mineral Survey No 3619, work has continued on some of the levels from this shaft and the extent and value thereof is now as follows:

The shaft has not been sunk to any greater depth; value, \$105,000.00.

The 425 foot level has not been extended; value, \$6360.00.

The 811 foot level has not been extended; value, \$42,000.00.

The 971 foot level has been extended by driving two crosscuts from near the northeast end of the level, as reported in Sur. 3619, one to the northwest and one to the southeast, aggregating 695 feet of work, 6 x 8 feet and increasing the value of the level from \$46,700.00 to \$56,700.00.

At a depth of 550 feet below the collar of the shaft there is now a level, consisting of 1911 feet of drifting and crosscutting, 6 x 8 feet, partially timbered, which extends from the northwest side of shaft in the general direction of N.14°W., passing out of the Copper Money lode, through the Hobson and Total Eclipse lodes and into the Lucky Day No. 1 lode. Value \$25,000.00.

This improvement was distributed to 35 claims in my returns of Mineral Survey No. 3619, but this was in error as the claimant company owned other claims at this time to which the improvement should have been distributed, have and/since located two claims and acquired one by purchase,

7

bringing the total of their group up to 66, all of which are shown on the one thousand foot to the inch plat submitted herewith. The present value of the improvement, \$235,060.00 is, therefore, distributed to each of the claims, 1/66th, or \$3561.52, being credited to the M.C., Total Eclipse, Hobson, Copper Money, Dewey, and Dewey No. 1, lodes, Sur. 2651; the Ica lode, Sur. 2516; the New-Port, Great Eastern, Wedge, Cave, Vulcan, Limestone, Quo Vadis, Iron King, Low Land, Denver, Boston, Black Oxide, Japan, Oregon, High Land, Copper Era, Mountain Key, Valley View and Annie Laurie lodes, Sur. 2297; the Red Oxide lode, Sur. 2296; the Globite lode, Sur. 2384, the Berkeley, Duluth, Finis. Concordia, Lime Bluff, Houghton, and Mescal lodes, Sur. 3619; the Telfair lode, Sur. 667; the Dewey Fraction, Summit, Bill Taft, Marley, Amster and Cactus lodes, Sur. 3790; the Lucky Day No. 1, Lucky Day No. 2, Oneida No. 1, Oneida No. 2, and Nickel lodes, Sur. 3791, the M.C. Fraction and Oversight lodes, Sur. 3792; the Solomonville, Maine, Michigan, Venus, Placer, Mars, Yuma, Tucson, Phoenix, Tombstone, Globe, Washington, Diorite, Calumet and Superior lodes, all unsurveyed, and the two claims in this survey.

In my returns of Mineral Survey No 3619, the Sliver and Defender lodes, unsurveyed, are mentioned as adjoining claims owned by the claimant and the improvements distributed to them. These claims should have been named, respectively, the Cactus and Amster, as designated herein, these being the locations this ground was then held under, the Sliver and Defender locations having lapsed.

I certify that the value of the labor and improvements made upon, or for the benefit of, the claims in this survey, by the claimant, is not less than five hundred dollars, and that said improvements consist of;

Avalon lode.

No. 1, the discovery, shaft, 4 x 6 x 10 ft., the center of which is on the lode line 58.0 ft. from the N.E.E.C. Value, \$40.00.

No. 2, shaft, 4.5 x 8.5 ft., 59 feet deep, timbered, the southeast corner of which bears N.28°-20'W. 291.0 ft. from Cor. No. 2. Value, \$1000.00.

1/66th of the common improvement, \$3561.52.

Alameda lode.

No. 1, the discovery, shaft, 4 x 6 ft. of unknown depth on account of being nearly filled by the dump of the shaft, improvement. No. 2 on the Avalon lode, the center of which is on the lode line 13 ft. from the S.W.E.C. Value, \$35.00.

1/66th of the common improvement, \$3561.52.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a 61 inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 foot steel tape.

900000000000000000

REPORT.

The quarter corner between sections 11 and 14, T. 1 N., R. 15 E., to which tie is given from Cor. No. 1, of the Avalon lode, is a quartzite stone showing 8 x 10 x 12 ins. out of the ground, chiseled cross on top and 1 on the north face, with mound of stone alongside, The tie to this corner was made direct from Cor. No. 1 of the Avalon lode. The quarter corner between sections 13 and 14, to which tie is given from Cor. No. 1 of the Alameda lode, is a quartzite stone, 5 x 5 x 9 ins. out of the ground, chiseled cross on top and 1 on north face, with mound of stone alongside. The tie to this corner was made direct from Cor. No. 1 of the Alameda lode.

Sur. 2296, Red Oxide lode

cors. 1, 3 and 4 of said Red Oxide lode, are 4 x 4 posts properly set and scribed. The disagreement between these notes and the bearing and length of line 3-4 and the bearing of line 4-1 as approved and these lines as reported herein is due to errors in Sur. 2296.

Sur. 2297, Limestone and Quo Vadis lodes;

of said two Vadis lode are 4 x 4 posts properly set and seribed. Cor. No. 4 of said two Vadis lode has been removed and I reestablished the position of this corner in the old post hole and verified it by the bearing rock set for it. Cor. No. 2 of said two Vadis was a pine post properly set and scribed, but I removed it and set the pipe and concrete monument as reported herein.

The disagreement between these notes and the bearings of lines 1-2, 2-3 and 3-4 of said two Vadis lode, lines 2-3 and 3-4 of said timestone lode as approved, is due to errors in Sur. 2297.

I find a nominal error in length of line 2-3 of said uo Vadis lode as approved.

Sur. 3619, Lime Bluff lode.

cors. 3 and 4 of this claim are iron pipes in concrete as described herein, properly stamped. There is a nominal disagreement between these notes and the length of line 3-4 of said line Bluff lode as approved.

The disagreement between these notes and the location notices is due to errors in the notices.

Edwin T. Stewart

U.S. Mineral Surveyor.

Globe, Arizona, January 12, 1922.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed b	y Edwin T. Stewart	
United States Mineral Surveyor, to assist in running	g, measuring, and marking the lines, co	orners, and
boundaries described in the foregoing field notes of th		
	on Copper Company	
luce of Amelon and Alamaha lodge		
and showing the respective capacities in which they ac		
	udolph Walf Chair	
	, Chair	
	, Axma	an.
	, Flagr	nan.
FINAL OATHS OF		
≫ e,		
and I, Rudolph Wolf , do sole	mnly swear that we assisted	
Edwin T. Stewart , United States Minera	l Surveyor, in marking the corners and s	surveying
the boundaries of the mining claim of Superior		
known as the Avelon and Alameda lodes		
represented in the foregoing field notes as having been	surveyed by said mineral surveyor and	unden hie
direction; and that said survey has been in all respects,		
and correctly executed, and the corner and boundary moni		e instruc-
tions furnished by the United States Surveyor-General for		
	dolph Malf Chain	man.
	, Chain	man.
	, Axmar	ı.
	, Flagma	a n.
Subscribed and sworn to by the above	re-named persons before me this 9th	
day ofJanuary		
Mr. compigation and	NM. L. Harrison	
My commission expires		
November 12. 1924.	Notery Public, Gila County, Arizona.	6-10/3

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Edwin T. Stewart	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance	e of instructions received from the United States
Surveyor General for Arizo	na , dated
	1921, I have, in strict conformity to the laws of the
	and instructions thereunder, and the instructions
	and correctly executed the survey of the Mining
	Boston Copper Company
	, known as the
Avalon s	nd Alameda lodes
situate in Globe	Mining District
Gila	County, Arizona , in Section
14 Township No. 1 N.	, Range No. 15 E. G. & S.R.B. & M.
and designated as Survey No. 3793	, as represented
	curately show the boundaries of said mining claim
	n the ground, and described in the attached copy
	received by me from the Surveyor General with
	ers of said survey have been established and per-
	e law, official regulations and instructions there-
	ear that the foregoing are the true and original
	eport therein, and that the labor expended and
	claim by claimant orits grantors
	the character, extent, location, and itemized value
	ticularity and full detail, and that no portion of
	l to this claim has been included in the estimate
	to this claim has been included in the estimate
or or polaritation upon any other ciain.	
	Edwin I Steward
	U. S. Mineral Surveyor.
Subscribed and sworn to by the sa	id Edwin T. Stewart
	ne M.L.Harrison, A notary Public
	this 9th
day of January 1	
My commission expires	
	M. L. Harrison
November 12, 1924.	
6—1044	Notary Public, Gila

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

	Pho	enix, Arizona.	
		March	<u>, 1</u> 922
I, U. S. Surveyor Genera	l for D	istrict of Ari	zona,
do hereby certify that the for			
of the Survey of the mining			
Sup			
, known as the			
Mining Dis	strict,	Gila	County
Arizona			
Range No.			
No. 3793	has been	n correctly copied f	none the evision 1
file in this office; that said F	Field Notes furnis	sh such an accurat	e description of said
mining claim as will, if incorp	porated into a pat	ent, serve fully to i	dentify the premises,
and that such reference is mad	le therein to nati	ıral objects or perm	anent monuments as
will perpetuate and fix the local			
And I further certify that	t five hundred do : each of	llars' worth of labo	r has been expended
or improvements made upon			
that said improvements consis			
the value of improvem			
2651, total value \$81			
*			
and that no portion of said lab	oor or improveme	ils has been include	in the estimates
expenditures upon any other c		The fact menge	m the estimate of
I further certify that the p	olat thereof, filed i	n the U.S.Land Off	ice at Phoenix.
Arizona, is corre	ect and in conform	nity with the forego	ing Field Notes.
	11		- Trott
• 6—168 Unite	ed States Surveyor Ge		Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

			Phoenix	, Arizona,	
				March 11	, 192 2
I, U. S. S	Surveyor General for .		Distric	t of Arizon	а
do hereby cer	tify that the foregoing	and hereto attache	d Field Notes	and Return of t	he Survey of the
~	Supe	rior & Boston	Copper C	Company	
	AVA	LON and AL	AMEDA Lod	es	
situate in		Globe			mining district,
	Gila	County,	A	rizona	
n Section	14,	Township No	1 N.	, Range No.	15½ E.
	, designated as S				
xecuted by	Edwin	T. Stewart			, U. S. Mineral
urveyor,	August 4	- 6	, 192	1, under my ins	tructions dated
	July 20	, 1921 , have	been critical	ly examined and	the necessary
	explanations made, and				
	oved. The certified co				
	ffice and a true copy o				
	he transcript of the fie				
		1		A ST	
			10000	9.017	a ff

U. S. Surveyor General for _Arizona_